ENTUNIT

Revolutionary ergonomics

We have a trust worthy company in a venture business thinking of your health first and foremost. It can help to put up the maximum of efficiency and various diagnosis and treatment will be done in one space. By these features, you can serve good quality treatment.





nega

Limited NET-3000A


This is the best luxury type ENT examination and diagnosis unit for ENT specialist. Limited NET-3000A can maximize the user's treatment capability to meet any complicate treatment environment in your clinic, which offers you the great satisfaction of your customers!

- Most efficient fitting design for completing ENT diagnosis space!
 Whole-in-one workstation with fabulous ergonomic design!
 Various instrument containers with sterilizing and heating!

- Hygienic saline spray irrigation!
 Various useful options on user's preferences!
 Central Water Supply / Auto-Drainage(CWS/AD) system! (customized order option)

Compressor Pump	- 1 7Kalem
Vacuum Pump 600~740r	nmHg(Max)
Main Suction Bottle	—— 3000cc
Sub Suction Bottle	3000cc
Power Consumption ———	600~1400w
Voltage	- 110/220V
Frequency	50/60Hz
Weight	250Kg
Dimension 1900(W)x78	30(L)x820(H)

Standard Acc's
Straight Spray 3
Curved Spray ————————————————————————————————————
Suction Bottle (3000cc) 2
Gauze Container 1
Waste Receptacle 3
Medical Bottle ————— 6
Instrument Tray 3
Anti Fog Device 1
Rotation Keyboard Table
Pen Light —————————1
Step Type Trash Can 1
Tissue Paper Container — 1
Instrument Container with UV Sterilizer - 1
Instrument Container with Heating 1
Option
CWS/AD System ——— 1
View Box
LCD Monitor ————— 1
Endoscopy System — 1















Grand NET-3000C

Grand unit is the semi-luxury type ENT examination and diagnosis unit for professional ENT clinic. Grand NET-3000C offers you to provide the best services for your customers in any clinical environment with various functions, reliability and stability!














- Whole-in-one workstation with fabulous ergonomic design!
 Good expendability for professional purposes!
- Various useful options on user's preferences!
 Central Water Supply / Auto-Drainage(CWS/AD) system! (customized order option)

Compressor Pump –
Vacuum Pump —
Main Suction Bottle –
Sub Suction Bottle – ——— 0.9~2.0Kg/cm² – 600~740mmHg(Max) ———— 2000~3000cc - 500∼1000cc Power Consumption Voltage - 600~1400w - 110/220V Frequency - 50/60Hz Weight -Dimension —— -- 1800(W)x690(L)x830(H)

Standard Acc's
Straight Spray 3
Curved Spray:
Suction
Gauze Container —————
Waste Receptacle
Medicine Bottle
Instrument Tray ————— 3
Anti-Fog Device:
Keyboard Table ————— :
Option
CWS/AD System ————
Endoscopy System
LCD Monitor
View Box

LCD Monitor	- 1
View Box	1
Microscope	- 1
Powder Spray	1
Illumination ———————	- 1
Head Light	- 1
Ear irrigation System—————	
Ear dryer	1
Eustacure ———————	- 1
Telescope Sterilizer	1
Wireless Pen Light	
Operating Otoscope	- 1



Features

- LCD touch screen
- Built in Rigid (2) + Flexible (1) Telescope Sterilizer
- Pivotable instrument cabinet (option)

Specifications

Compressor pump	1.7kg/cm2
Vacuum pump —————	600~740mmHg(Max)
Suction bottle	3000cc
Power consumption	600~1000W
Voltage	
	50/60Hz
Weight	180Kg
	———— 1773(W)x677(L)x829(H)

Standard Accls
Straight Spray — 2
Curved Spray —
Heating cup2
Suction1
Gauze Container — 2
Waste Receptacle — 1
UV telescopes sterilizer holder — 2
Telescopes sterilizer
Rigid (2)+ Flexible (1)
Ear dryer —
Eustacure — 1
Anti-fog Device — 1
Step Type Trash Can — 1
Tissue Paper Container — 1
CCD camera holder — 1
Instrument tray — 2
LCD touch screen — 1
Adjustable valve for suction
preusse and gauge — 1
Adjustable valve for spray

- Options
 Endoscopy system LCD monitor -----Microscope ------Instrument cabinet ————— 1
 (4 step drawers with heating drawer,
 UV sterilizer drawer, chart table)
- Uv stentizer drawer, chart table)
 Suction hose rinsing system 1
 Central Water Supply (from water tap)
 & Auto-Drainage System 1
 Central Water Supply (water tank type)
 & Auto-Drainage System 1
 Powder spray 1
 For irrisolation hostly, with funded

















Ear irrigation(Suction)

Ear irrigation(Sray)

Powder spray

Eustacure

Ear dryer







LCD touch screen















Pivotable arm 4 Step drawer



Telescope sterilizer



Central Water Supply Auto-Drainage System



Suction hose rinsing system



Multi NET-600A

Multi NET-600A offers you the most convenience and stable treatment environment in your clinic with its reliability already proven by lots of users in many year's sales!


- Features
 Reasonable price and gorgeous design to consider with doctors plot plan in order to reduce physical fatigue!
 Various useful options on user's preferences!
 Central Water Supply / Auto-Drainage(CWS/AD)
 system! (customized order option)


- Large and sufficient storage cart! (option)
- Left-handed type is available! (customized order option)

Specifications

Compressor Pump —————	0.9~2.0Kg/cm2
Vacuum Pump	600~680mmHg(Max)
Main Suction Bottle	2000~3000cc
Sub Suction Bottle	500~1000cc
Power Consumption	1000w(Max)
Voltage ——————	
Frequency —————	50/60Hz
Weight	130Kg
Anti-fog Device —————	400w
Dimension	
Main Size	
Chart Table Cize	ADEMAN AAEM NOGERLIN

Chart Table Size -- 435(W)x445(L)x865(H)









Operating otoscope





Micro-100

Mega microscope series offer you the best treatment or surgery environment in your clinic with the wide range image in good quality, clean and bright color through reliable optical materials qualifying for many year's sales!

Features

- With new optic fiber, can makes more clear image
 It can be mounted at ENT basic unit
 CCD Camera can be attachable in order to see with the monitor
 Fine focusing with Zone (Optional)

Specifications

Focus length of objective ——————	F=250mm
Magnification —	
Working distance —	
Bulb —	
Stand Type or Unit attach type	120 / 10000
Parameter of Binocular tube	
	47
Inclined binocular tubes —	
Diopter adjustment range —	
Pupil distance range —————	
Height of eyecups —	18mm
Parameter of illumination	
6 + 0 Coaxial illumination	
Maximum intensity -	30000Lx or up
Parameter of position adjustment	
Maximum stretching radius of arm —	870mm
Vertical movement range	0,0,,,,,
	tivo\ 700//1100mm
(from floor to front surface of big object	
Range of fine focusing adjustment —	
Parameter of Electric	
Input voltage —————	
Input power —	
Voltage —	220V
Frequency —	60Hz
Weight -	40ka
Dimension —	
Billionolon	. 55(11)55(11)



Mobile NET-1100

This is the most efficient ENT unit in any ENT clinic environments. By its simplest concept and size, Mobile NET-1100 offers you various modification ability, application and advantages in your ENT clinic business!

- Best compacted size with reasonable economic price!
- Portable type unit for any emergency situation!
- High quality endurance & noiseless suction motor. (less than 50dB)
- Various useful options on user's preferences!
- Well-designed instrument cart can be applied! (option)

Specifications

Compressor Pump ————	0.9~2.0Kg/cma
Vacuum Pump	
Anti-fog Device ————	
Power Consumption ————	
Voltage ——————	——————————————————————————————————————
Frequency	
Weight	——————— 80Kg
Dimension	
E # 0 · · · · · · · · · ·	(070440 70041) (07041)

Full Setting Size --- 1050(W)x590(L)x1250(H) Main Size - 500(W)x422(L)x934(H) Tray Size - 500(W)x500(L)x975(H)

Option

-	
Head Light 1	
Endoscopy System 1	
LCD Monitor — 1	
Ear Irrigation bottle with funnel — 1	
Telescope Sterilizer 1	
Operating Otoscope ———— 1	
Head Light 1	
Eustacure 1	
Powder Spray ————- 1	
Instrument Cart 1	

Standard Acc's
Straight Spray 2
Suction 1
Medicine Bottle ——— 2
Anti-Fog Device 1
Heating System 1
Telescope Holder2



Wireless endoscopy system

On unit





Various options for NET-1100 Operating otoscope Eustacure













Patient Chair NET-1500 series

NET-1500 ENT patients chair series offer you the comfortable treatment environment with its stable and reliable position variation, which leads customer's satisfaction with your clinic!

Features

- Increasing the efficiency of the treatment with its stability and reliability!
- Soft and noiseless movement by hydraulic motor system!
- UP/DOWN/BACK/FORWARD full auto-movement control! (NET-1500B)
- Various control points! (Chair, Foot Switch, On the unit)
- Convertible for child-purpose size in pediatric clinic! (NET-1500E)









NET-1500E



Specifications

	NET1500E	NET1500D	NET1500A.B.C
Backrest inclination	0~30 °	0~95 °	0~95°
Base Diameter	550mm	550mm	580mm
Up-Down stroke	500mm ~800mm (Max)	550mm = 850mm (Max)	520mm~820mm (Max)
Rotation Angle	360 ° (or 350 °)	360 °	360 °
Adjustable Headrest (Manual)	•	√	√
Rotating Armrest / Angle	• (360 °)	√ (360 °)	√ (360 °)
Adjustment	Hydraulic valve system (1 pair)	Hydraulic valve system (2:2 pairs)	Hydraulic valve system (3:3 pairs
- Up/down	Auto	Auto	Auto
- Forward/Backward	Manua l	Auto	Auto
- Rotation Auto Brake System	_		A type Only
Seat Material	Artificial Leather	Artificial Leather	Artificial Leather
Color	Beige Blue / Beige Gray	Gray	Gray
Power Consumption	350W	500W	550W
Voltage	220V	220V	220V
Frequency	50Hz/60Hz	50Hz/60Hz	50Hz/60Hz
Dimension	780(W)x585(L)x1180(H)	620(W)x849(L)x1380(H)	740(W)x600(L)x1340(H)
Weight	75Kg	90Kg	95Kg
Standards Accessories	Foot paddle / Operating manual	Foot paddle / Operating manual	Foot paddle / Operating manual
√ = standard • = option — = r	not available		











Exclusive Distributor



사 : 서울특별시 강서구 양천로 583 우림블루나인 A-2504,5호

TEL: 02-3662-4493 / FAX: 02-3661-0120

Head Office: #2504,2505, A Bldg, Woolim blue 9 Business Center, 583, Yangcheon-ro, Gangseo-Gu, Seoul, 157-779 TEL: 82-2-3662-4493 / FAX: 82-2-3661-0120

E-mail: webmaster@megamedical.co.kr www.megamedical.co.k

Call Center: 1588-4493

- 제품의 외관, 사양 등은 제품개량을 위해 사전예고 없이 변경될 수 있습니다. 제품의 색상은 인쇄과정으로 인해 실제와 약간 다를 수 있습니다. 신제품 출시 일정은 사정에 따라 변경될 수 있습니다.
- - Design & Specifications are subject to change without notice.